

110 cm induction top electric triple oven Master Series



MAS1105IMFETXE

The triple-oven range cooker is the pinnacle of versatility. The main oven electric oven has 11 functions, from convection, baking and grilling to warming and features a thermometer on control panel. The useful auxiliary oven, without fan, has four modes. A powerful adjustable grill is provided in the third oven.

The hob has an induction top with five heating zones, including booster feature, pot detection and residual heat indicator for each zone.

Matching range hood and backsplash available.

Colours shown will vary depending on your screen settings and resolution. Contact your dealer for further advice.

Specifications

Features

Worktop

Size 110 cm

Cooking zones 5

Number of induction zones 5

Worktop type induction

Worktop controls knobs

Knobs black soft touch

Upstand yes

Cooking zones

Induction front right (ø 160 mm) 1100 W - 1400 W

Induction front left (ø 160 mm) 1100 W - 1400 W

Induction back right (ø 200 mm) 1400 W - 2000 W

Induction back left (ø 200 mm) 1400 W - 2000 W

Induction center (ø 230 mm) 2300 W - 3000 W

Oven cavity

Oven configuration triple

Oven fuel electric

Main oven type electric multifunction

Main oven functions bake / bottom bake / convection / convection bake / convection grill / defrosting / fast preheat / grill / oven light / pizza / upper bake

Main oven volume 69 l

Main oven convection system single with heating element

Main oven energy rating A

Auxiliary oven type electric conventional

Auxiliary oven grill type electric

Auxiliary oven functions bake / bottom bake / grill / oven light / upper bake

Auxiliary oven volume 54 l

Auxiliary oven energy rating A+

Third oven grill type electric

Third oven volume	24 l
Oven controls	knobs / thermometer
Inner oven door	triple
Removable inner glass	yes
Tray handle	yes
Oven levels	4
Timer	thermometer
Oven door closing	standard
Wire-shelves	3 chromed
Tray	2 enamelled
Oven lights	single

Bottom

Storage compartment	drawer
Toekick panel	yes

Technical specifications

Voltage and frequency	220/240 V - 50/60 Hz - 50 A
Absorbed power (W)	11500 W

Dimensions



